



# Mod. 15416.B


# COPOLYMER POLYPROPYLENE WATERPROOF CASE

The longest rifle cases on the market. Suitable to accommodate the most used long range rifles and accessories. Wider latches with safe button. Double automatic purge valves. Self-oiling free running wheels.





#### METRIC MM-KG-C°



# INTERNAL DIMENSIONS

LENGTH	1540 mm
W WIDTH	377 mm
D DEPTH	160 mm
LID	42 mm
BASE	118 mm


### **EXTERNAL DIMENSIONS**

1629 mm
456 mm
183 mm

#### OTHER DATA

WEIGHT EMPTY	11.30 Kg
WEIGHT WITH FOAM	13.40 Kg
WEIGHT WITH CUSTOM	Kg
FOAM	J
VOLUME	93 lt
BUOYANCY	61.60 Kg/max
OPERATING	°C min -33 / max +90
TEMPERATI IRE	

#### IMPERIAL IN-LBS-F°



#### INTERNAL DIMENSIONS

LENGTH	60 5/8 in
W WIDTH	14 13/16 in
DEPTH	6 5/16 in
_ID	1 5/8 in
BASE	4 5/8 in

#### **EXTERNAL DIMENSIONS**

L LENGTH	64 1/8 i
W WIDTH	17 15/16 ii
D DEPTH	7 3/16 ii

#### OTHER DATA

WEIGHT EMPTY	24.91 lbs
WEIGHT WITH FOAM	29.54 lbs
WEIGHT WITH CUSTOM	lbs
FOAM	
VOLUME	24.54 gal
BUOYANCY	135.80 lbs/max
OPERATING	°F min -27.4 / max
TEMPERATURE	+194



# **FEATURES**



# **SELF OILING FREE RUNNING WHEELS**



# CORROSION PROOF METAL HINGES WITH LID STAY FEATURES



INTERNAL SLOTS
Internal slots for optional panel mounting brackets or panel mounting rings

## LARGE FRONT HANDLE







**JAM FREE LATCHES WITH EASY-OPENING MECHANISM** (from model 3818 on)



**SEALING O-RING** (Art. NEOSEAL + nr. art.)



**PVC WATERPROOF I. D. REMOVABLE LABEL** (Art. LABELCOVER + nr. art.)



# TWO MAN LIFT SIDE HANDLES





**AUTOMATIC PURGE VALVE** Automatic pressure release valve.





# **ACCESSORIES**



#### HANDY BACKPACK CARRYING SYSTEM FOR GUNBAGS

BACKPACK KIT

Practical and easy to fix kit to turn the gunbags into backpacks to safely transport your rifles. The detachable, padded shoulder straps, clip right in the back of the gunbags D-rings. The ergonomic straps are designed to be fully adjustable in length. It works on GUNBAG 94, GUNBAG 114, GUNBAG 135 and GUNBAG 108. Color: black.



## PATENTED HEAVY DUTY BRASS PADLOCK WITH KEYS

EXPL PADLOCK

Designed to fit snug to the Explorer case mould so as not to swing out



#### PATENTED COMBINATION PADLOCK

EXPL COMBILOCK

Designed to fit snug to the Explorer case mould so as not to swing out



## **BLIND INSERT**

KIT.EXPL.PLUGS

Kit includes 6 pcs.

Whenever the slots are not going to be used for in-built applications, those can be closed by blind inserts that will give the case a better and finished interior look.







## TSA APPROVED PADLOCK WITH COMBINATION

EXPL TSA.DIGILOCK

The new TSA approved padlocks allow tsa® airport security agents to open the case without destrying the lock. TSA agents are trained to recognize the travel sentry certified logo and should not break the case lock.



#### **METAL BRACKET**

KIT SUPP.EXPL.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



# PLASTIC BRACKET

KIT SUPP.PLAST.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



# **SPARE PARTS**



Name tag holder for mod. 2712-2717-3317-3317W-3818-5117-5122

KIN.0496

Includes: 1 transparent name tag holder