



Mod. 5326.B E


COPOLYMER POLYPROPYLENE WATERPROOF CASE

Transport cases resistant to chemicals, humidity and dust. Resistant to harshest temperatures (-33°C / +90°C). Custom foams available on demand. Self oiling free running wheels.





METRIC MM-KG-C°



INTERNAL DIMENSIONS

| LENGTH | 538 mm |
|---------|--------|
| W WIDTH | 405 mm |
| D DEPTH | 250 mm |
| LID | 60 mm |
| BASE | 100 mm |


EXTERNAL DIMENSIONS

| L | LENGTH | 627 mm |
|---|--------|--------|
| W | WIDTH | 475 mm |
| D | DEPTH | 292 mm |

OTHER DATA

| WEIGHT EMPTY | 10 Kg |
|--------------------|----------------------|
| WEIGHT WITH FOAM | 11.25 Kg |
| WEIGHT WITH CUSTOM | Kg |
| FOAM | |
| VOLUME | 53 lt |
| BUOYANCY | 37.20 Kg/max |
| OPERATING | °C min -33 / max +90 |
| TEMPERATURE | |

IMPERIAL IN-LBS-F°



INTERNAL DIMENSIONS

| L LENGTH | 21 3/16 in |
|----------|-------------|
| W WIDTH | 15 15/16 in |
| D DEPTH | 9 13/16 in |
| LID | 2 3/8 in |
| BASE | 7 1/2 in |
| | |

EXTERNAL DIMENSIONS

| L LENGTH | 24 11/16 in |
|----------|-------------|
| W WIDTH | 18 11/16 in |
| D DEPTH | 11 1/2 in |
| | |

OTHER DATA

| 22.04 lbs |
|--------------------|
| 24.80 lbs |
| 0 lbs |
| |
| 14 gal |
| 82.01 lbs/max |
| °F min -27.4 / max |
| +194 |
| |



FEATURES



SELF OILING FREE RUNNING WHEELS



CORROSION PROOF METAL HINGES WITH LID STAY FEATURES



INTERNAL SLOTSInternal slots for optional panel mounting brackets or panel mounting rings



JAM FREE LATCHES WITH EASY-OPENING MECHANISM (from model 3818 on)







SEALING O-RING (Art. NEOSEAL + nr. art.)



MANUAL PRESSURE RELEASE VALVE
The internal stop ring prevents valve from being completely extracted (Art. PURGEVALVE.B)



PVC WATERPROOF I. D. REMOVABLE LABEL (Art. LABELCOVER + nr. art.)



TELESCOPIC HANDLE WITH QUICK AND SAFE LOCK-UNLOCK SYSTEM







LID CAN BE SET TO SLIDE-OFF

By releasing the back screw, lid becomes set to slide-off when opened at 70°

SOFT GRIP RUBBER HANDLE



Asa de carga comprobada, reforzada con pasadores de acero a prueba de corrosión

TWO MAN LIFT SIDE HANDLES



STAINLESS STEEL REINFORCED PADLOCKABLE POINTS WITH CLIPS

4 stainless steel clip-covers on the two frontal outer padlock points, to grant a better resistance to abrasion.







FIXING POINTS (5325-5326)
Additional fixing points on the lid.



ACCESSORIES



PROTECTIVE SLEEVE FOR PC 13"-13.3"

TOP ENVELOPE 13

Protective padded notebook sleeve. Protects the laptop from shocks and scratches.



TOP COVER FOR DIV53

COV53

Top covers available for larger models: they can be easily fixed on the dividers by Velcro strips. Ideal to protect and keep items in place.



PADDED DIVIDER FOR 5325-5326

DIV53

Padded dividers with internal adjustable partitions. Ideal to protect and transport any kind of sensitive equipment. Thanks to their modularity, they can be easily combined.



PADDED BAG WITH ADJUSTABLE DIVIDERS

BAG-V

Highly durable padded bag with rubber coated handle and waterproof zipper with lockable Velcro pull zipper. Practical external front pouch for documents, removable shoulder strap and rubber feet on the bottom to grant better grip. Internal adjustable padded dividers for flexible configuration. Ideal to protect sensitive equipment (ie electronic, photographic, broadcasting, medical etc.). Suitable for cases 5325-5326. Color: black/red.









LID PANEL WITH ORGANIZED POUCHES

PANEXPL53

Practical and robust lid panel with pouches, ideal for small accessories and documents. Suitable for cases 5325 and 5326. Color: black.



PATENTED HEAVY DUTY BRASS PADLOCK WITH KEYS

EXPL PADLOCK

Designed to fit snug to the Explorer case mould so as not to swing out



PATENTED COMBINATION PADLOCK

EXPL COMBILOCK

Designed to fit snug to the Explorer case mould so as not to swing out



BLIND INSERT

KIT.EXPL.PLUGS

Kit includes 6 pcs.

Whenever the slots are not going to be used for in-built applications, those can be closed by blind inserts that will give the case a better and finished interior look.







TSA APPROVED PADLOCK WITH COMBINATION

EXPL TSA.DIGILOCK

The new TSA approved padlocks allow tsa® airport security agents to open the case without destrying the lock. TSA agents are trained to recognize the travel sentry certified logo and should not break the case lock.



METAL BRACKET

KIT SUPP.EXPL.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



PLASTIC BRACKET

KIT SUPP.PLAST.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



FOAM SET FOR CASE 5325 AND 5326

FOAM.5325

Layers of pre cubed foam for the bottom and convoluted foam for the lid





CONVOLUTED FOAM SET FOR CASE 5325 AND 5326

LIDFOAM.53



(includes 2 pcs.)



SPARE PARTS



Side handle for models 5325 - 5326 - 5822 - 5823 - 5833 - 7630 - 13513 - 13527 - 10840

KIN.0426

Includes:

1 orange handle

2 fixing pins



Side handle for models 5140-5325-5326-5822-5823-5833-7630-13513-13527-10840

KIN.0412

Includes: 1 black handle 2 fixing pins



Rubber coated handle for models 4820-5325-5326-5822-5823-5833

KIN.0540

Includes: 1 orange handle 2 fixing pins



Rubber coated handle for models 4820 - 5325 - 5326 - 5822 - 5823 - 5833

KIN.0542

Includes: 1 black handle 2 fixing pins







Polyurethane o-ring seal for models 5325-5326

KIN.0925 Includes: 1 o-ring



Name tag holder for mod. 2712-2717-3317-3317W-3818-5117-5122

KIN.0496

Includes: 1 transparent name tag holder



Extractable handle + wheels for models 5325-5326

KIN 0930

Includes: 1 black extractable handle 1 black protective cover 2 self-oiling wheels 1 metal spring 1 lock/unlock lever 1 small cover cap 4 fixing pins 2 supporting feet for wheels 4 supporting feet for the bottom 4 snap rings (Seeger) 12 fixing screws



Easy-opening latch for models from 3818 up

KIN.0446

Includes:

1 black latch

1 fixing pin







Easy-opening latch for models from 3818 up

KIN.0435

Includes:

1 military green latch

1 fixing pin



Easy-opening latch for models from 3818 up

KIN.0434

Includes:

1 orange latch

1 fixing pin



Rubber coated handle for models 4820-5325-5326-5822-5823-5833

KIN.054

Includes: 1 military green handle 2 fixing pins



Wheels for models 5326-5823-5833-7630-7641

KIN.0522

Includes: 2 self-oiling wheels 4 metal washers 2 snap rings (Seeger) 2 fixing pins







Side handle for models 5325-5326-5822-5823-5833-7630-7814-13513-13527-15416

KIN.0448

Includes: 1 military green handle 2 fixing pins



Feet for models 5326 and 5823

KIN.0526

. .

Includes:

2 black feet

2 fixing pins

2 metal washers

2 snap rings (Seeger)



Manual pressure release valve for models from 2712 up

KIN.0495

Includes:

1 black purge valve (+ o-ring + pin)

1 threaded bush

1 snap ring (Seeger)